

Safety Data Sheet

MONDO PU 105 PART B

Safety Data Sheet dated: 5/22/2015 - version 1

Date of first edition: 5/22/2015

1. IDENTIFICATION

Product identifier

Mixture identification:

Trade name: MONDO PU 105 PART B

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

2. HAZARD(S) IDENTIFICATION





Classification of the chemical

Classification of the chemical

Flam. Liq. 4 Combustible liquid

Acute Tox. 4 Harmful if swallowed.

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1A May cause an allergic skin reaction.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Label elements

Symbols:



| Dange | r |
|-------|---|

| Code | Description |
|--------|---|
| H227 | Combustible liquid |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Code | Description |
| P210 | $\label{lem:keep} \mbox{Keep away from heat/sparks/open flames/hot surfaces.} - \mbox{No smoking}.$ |
| P260.1 | Do not breathe mist/vapours/spray. |
| P264.2 | Wash skin thoroughly after handling. |
| P270 | Do no eat, drink or smoke when using this product. |
| P272 | Contaminated work clothing should not be allowed out of the workplace |
| P273 | Avoid release to the environment. |
| P280.I | Wear protective gloves and eye protection. |
| | |

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 1 of 8

P301+P312 A IF SWALLOWED: Call a POISON CENTER if you feel unwell. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353.1 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310.A Immediately call a POISON CENTER. Specific treatment (see supplementary instructions on this label) P321.A P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse. P370+P378.B In case of fire, use a dry powder fire extinguisher to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

Dispose of contents/container in accordance with applicable regulations.

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances

N.A.

Mixtures

P501.A

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

List of components

| Quantity | Name | Ident. Numb. | Classification |
|----------|--------------------------------------|----------------|--|
| 40-50 % | Isophorone diamine | CAS:2855-13-2 | Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Chronic 3, H412; Acute Tox. 4, H302; Acute Tox. 4, H312 |
| 30-40 % | Benzyl alcohol | CAS:100-51-6 | Acute Tox. 4, H302; Acute Tox. 4, H332 |
| 20-30 % | 2,4,6-Tri(dimethylaminomethyl)phenol | CAS:90-72-2 | Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Chronic 3, H412 |
| 1-5 % | Bis[(dimethylamino)methyl]phenol | CAS:71074-89-0 | Skin Corr. 1B, H314 |

4. FIRST AID MEASURES

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media:

Unsuitable extinguishing media:

None in particular.

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 2 of 8

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Storage temperature: N.A.

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No Data Available

Appropriate engineering controls: N.A.

Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: brown

Odour: characteristic Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.
Initial boiling point and boiling range: N.A.

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 3 of 8

Flash point: 87 °C (189 °F) Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A. Vapour pressure: N.A. Relative density: N.A.

Solubility in water: DISPERSIBLE

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A.

Other information

Substance Groups relevant properties N.A.

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions

Chemical stability

Data not Available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

Isophorone diamine a) acute toxicity LD50 Oral Rat = 1030mg/kg

Benzyl alcohol a) acute toxicity LD50 Skin Rabbit = 2000,0000mg/kg

LC50 Inhalation Rat = 8,80000mg/l 4h

LD50 Oral Rat = 1230mg/kg

2,4, a) acute toxicity LD50 Skin Rat = 1280mg/kg

6-Tri(dimethylaminomethyl)

phenol

LD50 Oral Rat = 1000mg/kg

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irritation

d) respiratory or skin sensitisation

e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

Date 5/22/2015 Production Name MONDO PU 105 PART B Page n. 4 of 8

h) STOT-single exposure

i) STOT-repeated exposure

j) aspiration hazard

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. ECOLOGICAL INFORMATION

Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of components with eco-toxicological properties

| Quantity | Component | Ident. Numb. | Ecotox Infos |
|----------|--------------------|----------------|---|
| 40-50 % | Isophorone diamine | CAS: 2855-13-2 | EC50 a) Aquatic acute toxicity Daphnia Daphnia magna14,60000mg/L 48h EPA |
| | | | EC50 a) Aquatic acute toxicity Daphnia magna= 42,00000mg/L 24hr |
| | | | EC50 a) Aquatic acute toxicity Algae Desmodesmus subspicatus= 37mg/L 72h IUCLID |
| | | | EC50 a) Aquatic acute toxicity Algae idus= 110,00000mg/L 96h |
| 30-40 % | Benzyl alcohol | CAS: 100-51-6 | LC50 a) Aquatic acute toxicity Fish Pimephales promelas= 460mg/L 96h EPA |
| | | | LC50 a) Aquatic acute toxicity Fish Lepomis macrochirus= 10mg/L 96h EPA |
| | | | EC50 a) Aquatic acute toxicity Daphnia water flea= 23mg/L 48h |

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

14. TRANSPORT INFORMATION

UN number

ADR-UN number: 1760 DOT-UN Number: UN1760 IATA-Un number: 1760 IMDG-Un number: 1760

UN proper shipping name

ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. DOT-Proper Shipping Name: Corrosive liquids, n.o.s. IATA-Technical name: CORROSIVE LIQUID, N.O.S. IMDG-Technical name: CORROSIVE LIQUID, N.O.S.

Transport hazard class(es)

ADR-Class: 8

DOT-Hazard Class: 8

IATA-Class: 8
IMDG-Class: 8

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 5 of 8

Packing group

ADR-Packing Group: III DOT-Packing group: III IATA-Packing group: III IMDG-Packing group: III

Environmental hazards

Marine pollutant: No

Environmental Pollutant: N.A.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

Special precautions

Department of Transportation (DOT):

DOT-Special Provision(s): IB3, T7, TP1, TP28

DOT-Label(s): 8
DOT-Symbol: N/A
DOT-Cargo Aircraft: N/A
DOT-Passenger Aircraft: N/A

DOT-Bulk: N/A
DOT-Non-Bulk: N/A
Road and Rail (ADR-RID):
ADR-Label: 8

ADR-Hazard identification number: 80 ADR-Tunnel Restriction Code: 3 (E)

Air (IATA):

IATA-Passenger Aircraft: 852 IATA-Cargo Aircraft: 856

IATA-Label: 8
IATA-Subrisk: IATA-Erg: 8L

IATA-Special Provisions: A3 A803

Sea (IMDG):

IMDG-Stowage Code: Category A

IMDG-Stowage Note: Clear of living quarters.

IMDG-Subrisk: -

IMDG-Special Provisions: 223 274

IMDG-Page: N/A
IMDG-Label: N/A
IMDG-EMS: F-A, S-B
IMDG-MFAG: N/A

15. REGULATORY INFORMATION

USA - Federal regulations

TSCA - Toxic Substances Control Act

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

 Isophorone diamine
 is listed in TSCA
 Section 8b

 Benzyl alcohol
 is listed in TSCA
 Section 8b

 2,4,6-Tri(dimethylaminomethyl)phenol
 is listed in TSCA
 Section 8b

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

no substances listed

Section 313 - Toxic chemical list:

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 6 of 8

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

no substances listed

CAA - Clean Air Act

CAA listed substances:

Benzyl alcohol is listed in CAA Section 112(b) - HON

CWA - Clean Water Act

CWA listed substances:

no substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

no substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

Benzyl alcohol

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

Benzyl alcohol

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

Isophorone diamine

16. OTHER INFORMATION

| Code | Description | |
|------------------------------------|---|--|
| H227 | Combustible liquid | |
| H302 | Harmful if swallowed. | |
| H312 | Harmful in contact with skin. | |
| H314 | Causes severe skin burns and eye damage. | |
| H317 | May cause an allergic skin reaction. | |
| H318 | Causes serious eye damage. | |
| H332 | Harmful if inhaled. | |
| H412 | Harmful to aquatic life with long lasting effects | |
| Cofety Date Chart dated: E/22/201E | | |

Safety Data Sheet dated: 5/22/2015 - version 1

Product code: 2402

Additional classification information



HMIS Health: 3 = Serious

HMIS Health - Is health hazard chronic?: No HMIS Flammability: 2 = Combustible liquid

HMIS Reactivity: 0 = Minimal

HMIS P.P.E.: Safety glasses, gloves, chemical apron

NFPA Health: 3 = Serious

NFPA Flammability: 2 = Combustible liquid

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 7 of 8

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. WGK: German Water Hazard Class.

KSt: Explosion coefficient.

 Date
 5/22/2015
 Production Name
 MONDO PU 105 PART B
 Page n. 8 of 8