
Page E1 of E2

Section 1

**Chemical Product and Company Information** 



5100 West Henrietta Rd

**CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300 For laboratory use only. Not for drug, food or household use.



PO Box 9/917 Rochester NY 14632-9012 Tel (800) 962-2650

Product ACETONE

Synonyms 2-Propanone / Dimethyl Ketone / Solvent

Section 2

Hazards Identification

Signal word: DANGER Pictograms: GHS02 / GHS07

Target organs: Central nervous system





GHS Classification:

Flammable liquid (Category 2) Eye irritation (Category 2A) STOT-SE (Category 3)

GHS Label information: Hazard statement:

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness of dizziness.

Supplemental information:

Repeated exposure may cause skin dryness or cracking

## Precautionary statement:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge

P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340. IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P312 Call a POISON CENTER or doctor if you feel unwell.

P370+P378 In case of fire. Use dry chemical, alcohol foam, carbon dioxide or water. spray to extinguish.

P403+P233: Store in a well-ventilated place. Keep container tightly closed

P405+P235 Store locked up. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Composition / Information on Ingredients Section 3

Chemical Namo CAS # EINECS 100% 200-662-2 Acetone 67-64-1

## Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Get medical attention

EYE CONTACT: CAUSES SEVERE FYE IRRITATION, Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: REPEATED OR PROLONGED CONTACT MAY CAUSE DRYING AND DEFATTING OF SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Fire Fighting Measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, initating and highly toxic gases may be generated by thermal decomposition or combustion. Acetone is extremely flammable and its vapors form explosive mixtures with air. Dangerous when exposed to heat, sparks, flame or oxidizing agents.

## Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with mert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash dothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8

**Exposure Controls / Personal Protection** 

**Exposure Limits:** 

**Chemical Name** Acetone

ACGIH (TLV) TVVA: 500 ppm; STEL: 750 ppm

OSHA (PEL) TWA: 1000 ppm / 2400 mg/m<sup>3</sup>

NIOSH (REL) TWA 250 ppm / 590 mg/m<sup>3</sup>

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling all room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9

Physical & Chemical Properties

Appearance: Clear, colorless liquid. Odor: Pungent odor

Odor threshold: Data not available, pH: Data not available.

Melting / Freezing point: Approximately 95°C (139°F)

Boiling point: 56 C (133 F) Flash point: -20°C (-4°F) CC Evaporation rate ( Butyl acetate = 1): 77 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 2,5% / 12,8%

Vapor pressure (mm Hg): 180 Vapor density (Air = 1): 2.00 Relative density (Specific gravity): 0.8 Solubility(ies): Soluble in water

Partition coefficient: (n-octanol / water) Log Pow: -.24 Auto-Ignition temperature: 465 C (869 F) Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: CH<sub>3</sub>COCH<sub>3</sub> Molecular weight: 58.08

Section 10

Stability & Reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur. Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition

Incompatible materials: Chloroform chromic anhydride, hydrogen peroxide, ritric compounds, acids, strong oxidizers, alkalies

Hazardous decomposition products: Oxides of carbon.

Section 11 Toxicological Information

Acute toxicity: Oral-rat LD50: 5,800 mg/kg | Inhalation-rat LC50: 76 mg/L/4 hours

Skin corrosion/irritation: Skin-rabbit - Slight irritant. Serious eye damage/irritation: Eyes-rabbit - Severe irritant, Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation Inhalation may cause cough, sore throat, confusion, headache, dizziness, drowsiness, unconsciousness

Ingestion: Ingestion causes nausea, vomiting, and other symptoms same as inhalation,

Skin. Contact with skin causes imitation, dry and/or defatting on protonged contact.

Eyes. Contact with eyes causes redness, pain and blurred vision,

Signs and symptoms of exposure: See Potential health effects above, Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: AL3150000

Section 12 **Ecological Information** 

Toxicity to fish: Gambusia affinis (fish, fresh water) 1 C50 = 13,000 mg/l /48 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia cucullata (Crustacea) LC50 = ca. 7.635 mg/l/48 hours

Toxicity to algae: Anabaena inaequalis (Algae), EC50 = 21.725 mg/L/14 days

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Disposal Considerations** 

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport Information (US DOT / CANADA TDG)

UN/NA number: UN1090 Shipping name: Acetone

Hazard class: 3 Packing group: || Reportable Quantity: 5,000 lbs (2270 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2012 ERG Guide # 127

Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component **TSCA** CERLCA (RQ) RCRA code DSL NDSL WHMIS Classification Acetone Listed 5,000 lbs (2270 kg) U002 Listed Not listed

Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP National Toxicology Program IARC: International Agency for Research on Cancer. OSHA: Occupational Safety and Health Administration, STOT Specific Target Organ Toxicity, SE: Single Exposure: RE: Repeated Exposure FRG Emergency Response Guidebook

Revision Date: April 19, 2013 Supercedes: November 22, 2011