

n-Propyl Alcohol Safety Data Sheet (SDS)

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

n-Propyl Alcohol

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261 Chemtrec Emergency Phone Number: (800) 424-10199

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Acute toxicity, oral (Category 4). Harmful if swallowed (H302). Do not eat, drink or smoke when using this product (P270).

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Skin corrosion or irritation (Category 3). Causes mild skin irritation (H316).

Hazard class: Serious eye damage or irritation (Category 1). Causes serious eye damage (H318).

Hazard class: Acute toxicity, inhalation (Category 5). May be harmful if inhaled (H333).

Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336).

SECTION 3 - COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
n-Propyl Alcohol	71-23-8	CH ₃ CH ₂ CH ₂ OH	60.1	
Synonyms: 1-Propanol; n-Propanol				

SECTION 4 — FIRST AID MEASURES

Call POISON CENTER or physician if you feel unwell (P312).

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). If on skin or hair: Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). If skin irritation occurs: Get medical advice or attention (P332+P313).

If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 - FIRE FIGHTING MEASURES

Class 1C flammable liquid.	NFPA Code
Flash point: 23 °C Flammable limits: Lower: 2.2% Upper: 13.7% Autoignition Temperature: 412 °C	H-1
When heated to decomposition, may emit toxic fumes.	F-3
In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).	R-0
SECTION 6 - ACCIDENTAL RELEASE MEASURES	

SECTION 6 — ACCIDENTAL RELEASE MEASURE:

Remove all ignition sources and ventilate area. Contain spill with sand or other inert absorbent material; deposit in sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides.

Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-Stor™ can.

Use only in a hood or well-ventilated area (P271). Keep container tightly closed (P233). Keep cool (P235). Ground or bond container and receiving equipment (P240). Use explosion-proof electrical and ventilating equipment (P241).

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling. Use only in a hood or well-ventilated area (P271). Exposure guidelines: PEL 200 ppm (OSHA); TLV 100 ppm (ACGIH)

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Colorless liquid. Odor similar to ethyl alcohol Soluble: Water and alcohol Boiling point: 97 °C Melting point: -88 °C Specific gravity: 0.804 Vapor density: 2.1 Vapor pressure: 14.9 mmHg

SECTION 10 - STABILITY AND REACTIVITY

Avoid contact with oxidizers, acid chlorides, acid anhydrides, acids, halogens and aluminum. Shelf life: Indefinite, if stored properly.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute effects: Harmful liquid and fumes, severe eye irritant, nausea, headache, and vomiting.	ORL-RAT LD ₅₀ : 1870 mg/kg
Chronic effects: N.A.	IHL-MUS LC50: 48 g/m3
Target organs: Nerves, liver	SKN-RBT LD ₅₀ : 5040 mg/kg

SECTION 12 — ECOLOGICAL INFORMATION

SDS #: 661 **Revision Date:** March 25, 2014

Save SDS to Your Library

Signal Word

DANGER

Pictograms

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #18b is one option.

SECTION 14 - TRANSPORT INFORMATION

Shipping name: n-Propanol. Hazard class: 3, Flammable liquid. UN number: UN1274.

SECTION 15 — REGULATORY INFORMATION TSCA-listed, EINECS-listed (200-746-9), RCRA code D001.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: March 25, 2014