MATERIAL SAFETY DATA SHEET

PRODUCT NAME: QUIK FIX ALL PURPOSE PATCHING HMIS CODES: H F R P

PRODUCT CODE: 8029 1 0 1 E

========== SECTION I - MANUFACTURER IDENTIFICATION ===========

MANUFACTURER'S NAME: Custom Building Products, Inc. ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201

EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846

DATE REVISED: 05-08-91 NAME OF PREPARER: TERI JAMESON

REASON REVISED : NEW

====== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =======

		000011111011111111111111111111111111111			1112 011	
		LIMITS		PRESSURE	Wt.	
HAZARDOUS COMPONENTS	CAS NUMBER	OSHA	PEL	ACGIH TLV	mm Hg @ TEMP	용
CALCIUM CARBONATE/						
LIMESTONE	1317-65-3			10mg/M3	N/A	15
MAGNESIUM SILICATE						
HYDRATE	14807-96-6			.3mg/M3	N/A	10

OCCUPATIONAL EXPOSURE VAPOR

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

======== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS ==========

BOILING RANGE: N/A SPECIFIC GRAVITY (H2O=1): 2.6

VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER

SOLUBILITY IN WATER: SLIGHT

APPEARANCE AND ODOR: WHITE POWDER; NO ODOR

======== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =============

FLASH POINT: N/A

FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: NONE KNOWN

SPECIAL FIREFIGHTING PROCEDURES

NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS NONE

STABILITY: STABLE

CONDITIONS TO AVOID

NONE

INCOMPATIBILITY (MATERIALS TO AVOID)

POSSIBLE REACTIVITY WITH STRONG MINERAL ACIDS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

REACTION WITH ACIDS WILL EVOLVE CARBON DIOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

REMOVE TO FRESH AIR.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE MAY DEVELOP SUFFICIENT HEAT TO CAUSE BURNS TO SKIN IF A LARGE MASS IS KEPT IN CONTACT WITH SKIN WHILE HARDENING. PARTICLES MAY CAUSE IRRITATION TO EYES.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NONE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

PLASTER HARDENS WHEN WETTED AND IF INGESTED MAY RESULT IN OBSTRUCTION.

SEE PHYSICIAN.

HEALTH HAZARDS (ACUTE AND CHRONIC)

ACUTE: NONE

CHRONIC: NONE

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO NONE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE

EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: FLUSH WITH WATER TO REMOVE PARTICLES. IF IRRITATION PERSISTS,

SEE PHYSICIAN.

SKIN CONTACT: WASH WITH WATER.

INHALED: REMOVE TO FRESH AIR.

SWALLOWED: IF INGESTED, SEE PHYSICIAN BECAUSE OF POSSIBLE BLOCKAGE.

======= SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =========

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED CLEAN UP USING DRY METHODS THAT DO NOT DISPERSE DUST INTO THE AIR. AVOID BREATHING DUST. EMERGENCY PROCEDURES ARE NOT REQUIRED.

WASTE DISPOSAL METHOD CAN BE TREATED AS COMMON WASTE.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING NONE.

OTHER PRECAUTIONS
NONE

RESPIRATORY PROTECTION
NIOSH APPROVED RESPIRATOR FOR NUISANCE DUST.

VENTILATION LOCAL EXHAUST.

PROTECTIVE GLOVES NONE REQUIRED.

EYE PROTECTION DUST GOGGLES OR SAFETY GLASSES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT NONE REQUIRED.

WORK/HYGIENIC PRACTICES
KEEP SPILLED MATERIALS CLEANED UP.

DISCLAIMER

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.