PRODUCT **#:** 19770 NAME: 2-CHLOROBUTANE MATERIAL SAFETY DATA SHEET, Valid 11/97 - 1/98 Printed Tuesday, March 11, 1903 10:10AM

Sigma Chemical Co.

Aldrich Chemical Co., Inc. Fluka Chemical Corp. 

 1001 West St. Paul
 1001 West St. Paul

 Milwaukee, WI 53233
 Milwaukee, WI 53233

 Phone: 414-273-3850
 Phone: 414-273-3850

P.O. Box 14508 St. Louis, MO 63178 Phone: 314-771-5765 SECTION 1. - - - - - - - CHEMICAL IDENTIFICATION- - - - - - - - -CATALOG #: 19770 NAME: 2-CHLOROBUTANE SECTION 2. - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -CAS #: 78-86-4 MF: C4H9CL EC NO: 201-151-7 SYNONYMS SEC-BUTYL CHLORIDE \* 2-CHLOROBUTANE \* SECTION 3. - - - - - - - - HAZARDS IDENTIFICATION - - - - - - -LABEL PRECAUTIONARY STATEMENTS FLAMMABLE (USA) HIGHLY FLAMMABLE (EU) HARMFUL HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. POSSIBLE RISK OF IRREVERSIBLE EFFECTS. POSSIBLE CARCINOGEN. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. SECTION 4. - - - - - - - - - FIRST-AID MEASURES- - - - - - - - - - -IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. FLUSH SKIN WITH WATER. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE. SECTION 5. - - - - - - - FIRE FIGHTING MEASURES - - - - - - - - -EXTINGUISHING MEDIA CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. WATER MAY BE EFFECTIVE FOR COOLING, BUT MAY NOT EFFECT EXTINGUISHMENT. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS. EXTREMELY FLAMMABLE. UNUSUAL FIRE AND EXPLOSIONS HAZARDS VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS. FORMS EXPLOSIVE MIXTURES IN AIR. EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - - ACCIDENTAL RELEASE MEASURES- - - - - - - -EVACUATE AREA. SHUT OFF ALL SOURCES OF IGNITION.

PRODUCT #: 19770 NAME: 2-CHLOROBUTANE MATERIAL SAFETY DATA SHEET, Valid 11/97 - 1/98 Printed Tuesday, March 11, 1903 10:10AM

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. COVER WITH AN ACTIVATED CARBON ADSORBENT, TAKE UP AND PLACE IN CLOSED CONTAINERS. TRANSPORT OUTDOORS. USE NONSPARKING TOOLS. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE. SECTION 7. - - - - - - - - HANDLING AND STORAGE- - - - - - - -REFER TO SECTION 8. SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -CHEMICAL SAFETY GOGGLES. NIOSH/MSHA-APPROVED RESPIRATOR. COMPATIBLE CHEMICAL-RESISTANT GLOVES. USE ONLY IN A CHEMICAL FUME HOOD. SAFETY SHOWER AND EYE BATH. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. DO NOT BREATHE VAPOR. AVOID PROLONGED OR REPEATED EXPOSURE. WASH THOROUGHLY AFTER HANDLING. POSSIBLE CARCINOGEN. KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. STORE IN A COOL DRY PLACE. SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - -APPEARANCE AND ODOR COLORLESS LIQUID PHYSICAL PROPERTIES 67 TO 69C BOILING POINT: FLASHPOINT 14F -10C SPECIFIC GRAVITY: 0.872 SECTION 10. - - - - - - - - STABILITY AND REACTIVITY - - - -INCOMPATIBILITIES STRONG OXIDIZING AGENTS STRONG BASES HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS TOXIC FUMES OF: CARBON MONOXIDE, CARBON DIOXIDE HYDROGEN CHLORIDE GAS SECTION 11. - - - - - - - TOXICOLOGICAL INFORMATION - - - - - - -ACUTE EFFECTS HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CHRONIC EFFECTS POSSIBLE CARCINOGEN. TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. RTECS #: EJ6475000 BUTANE, 2-CHLORO-TOXICITY DATA ORL-RAT LD50:20 ML/KG AIHAAP 30,470,1969 SKN-RBT LD50:20 ML/KG AIHAAP 30,470,1969 ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES (RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION. SECTION 12. - - - - - - - ECOLOGICAL INFORMATION - - - - - - - - -DATA NOT YET AVAILABLE.

PRODUCT #: 19770 NAME: 2-CHLOROBUTANE MATERIAL SAFETY DATA SHEET, Valid 11/97 - 1/98 Printed Tuesday, March 11, 1903 10:10AM

SECTION 13. - - - - - - DISPOSAL CONSIDERATIONS - - - - - - - -BURN IN A CHEMICAL INCINERATOR EOUIPPED WITH AN AFTERBURNER AND SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY FLAMMABLE. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. SECTION 14. - - - - - - - - TRANSPORT INFORMATION - - - - - - - -CONTACT FLUKA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. SECTION 15. - - - - - - - REGULATORY INFORMATION - - - - - - - - -EUROPEAN INFORMATION HIGHLY FLAMMABLE HARMFUL R 20/21/22 HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED. R 40 POSSIBLE RISK OF IRREVERSIBLE EFFECTS. HIGHLY FLAMMABLE S 16 KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING. S 45 IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE). S 36/37/39 WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION. REVIEWS, STANDARDS, AND REGULATIONS OEL=MAK EPA TSCA SECTION 8(B) CHEMICAL INVENTORY ON EPA IRIS DATABASE THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH, FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE. COPYRIGHT 1997 SIGMA CHEMICAL CO., ALDRICH CHEMICAL CO., INC., FLUKA CHEMIE AG LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY

Page 3