

SAFETY DATA SHEET



This Safety Data Sheet (SDS) complies with the requirements of the U.S. Federal Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200, as updated in 2012) and equivalent state Standards. It has also been developed in accordance with the United Nations Globally Harmonized System of Classification of Chemicals (GHS) and the Canadian Workplace Hazardous Materials Information System (WHMIS). Refer to Section 16 of this document for the definition of terms and abbreviations.

SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

- ITEM NUMBER(S): 170058, 170059, 171200
- PRODUCT NAME:
 - 730 HP Disinfectant Cleaner**
 - 3L: 170059
 - HP Disinfectant Cleaner**
 - GL: 170058
 - 70 HP Disinfectant Cleaner**
 - ½ GL: 171200

1.2 RELEVANT IDENTIFIED USES OF THE MIXTURE

- RECOMMENDED USE: Cleaning and disinfecting.
- IDENTIFIED USERS: For sale to, use and storage by service persons only.

1.1 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

- MANUFACTURER/SUPPLIER: **Waxie's Enterprises, Inc.**
- ADDRESS: PO Box 23506, San Diego, CA 92123
- BUSINESS PHONE: 1-800-995-4466
- EMERGENCY PHONE: 1-800-255-3924 (CHEMTEL; 24 hours)

1.2 OTHER PERTINENT INFORMATION

- This SDS has been developed to address safety concerns affecting small volume handling situations and those involving warehouses and other workplaces where large numbers of these items are stored or distributed.
- This product is intended to be used only after dilution. The relevant hazard and safety data sheet are specified for both the **Product as SOLD** and **Product at USE DILUTION**, where appropriate.
- EPA Registration Number:

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

OSHA/HCS Status

Product as SOLD

Product at USE DILUTION (< 5%)

Classification of the Substance or Mixture

Serious eye damage (Category 1); Skin irritation (Category 2); Aquatic Toxicity (Category 3)

Eye Damage/Irritation (Category 2A)

2.2 LABEL ELEMENTS:

ELEMENT

Product as SOLD

Product at USE DILUTION

Hazard Pictograms



Signal Word

DANGER.

WARNING.

Hazard Statements

Causes serious eye damage. Causes skin irritation. Harmful to aquatic life.

Causes serious eye irritation.

SECTION 2: HAZARDS IDENTIFICATION (Continued)

2.2 LABEL ELEMENTS (Continued):

ELEMENT	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Precautionary Statements		
Prevention	Keep out of reach of children. Read label before use. Wear protective gloves. Wear eye/face protection. Wash hands, face, and any exposed skin thoroughly after handling. Avoid release into the environment.	Keep out of reach of children. Wear eye/face protection. Wash hands thoroughly after handling.
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Immediately call a POISON CENTER. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	See Section 7.	See Section 7.
Disposal	Dispose of contents and container to an approved waste disposal plant.	See Section 13.

2.3 OTHER PERTINENT DATA ON CHEMICAL AND PHYSICAL HAZARDS:

- Not established.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 SUBSTANCES/MIXTURES

CHEMICAL	CAS NUMBER	GHS HAZARD CLASSIFICATION FOR CHEMICAL	% (w/w)
Propylene Glycol n-Propyl Ether	1569-01-3	Flammable liquid (Category 3); Eye irritation (Category 2A)	7-13
Dodecylbenzene-sulfonic Acid	68584-22-5	Eye irritation (Category 2A)	5-10
Alcohols, C6-C12, ethoxylated	68439-45-2	Acute toxicity – Oral (Category 4); Eye damage (Category 1); Skin irritation (Category 2). (Aquatic Toxicity, Acute, 1)	1-5
Hydrogen Peroxide	7722-84-1	At the given concentration: Eye irritation (Category 2A)	1-5
Phosphoric Acid	7664-38-2	At the given concentration: Eye irritation (Category 2A)	1-5
Water	7732-18-5	Not classified as hazardous.	Balance

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

AREA EXPOSED	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Eye Contact	Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention immediately.	Flush with copious amounts of water for 15 minutes. "Roll" eyes during flush. Seek medical attention if irritation persists.

SECTION 4: FIRST AID MEASURES (Continued)

Skin Contact	Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.	Flush area with warm, running water for several minutes. Seek medical attention if irritation persists.
Inhalation	Obtain fresh air.	Obtain fresh air.
Ingestion	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.	If conscious only: Rinse mouth with water. Drink several cups of water. Do not induce vomiting. Contact a Poison Control Center or physician for instructions.
Other Recommendations	Wash clothing before reuse.	

4.2 MOST IMPORTANT ACUTE AND CHRONIC EXPOSURE SYMPTOMS

- **ACUTE HEALTH EFFECTS:**

AREA EXPOSED	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Eye Contact	Causes serious eye damage.	Causes serious eye irritation.
Skin Contact	Causes skin irritation.	May cause mild to moderate skin irritation, depending on duration of contact
Inhalation	Inhalation of mists and sprays can cause serious irritation to the nose, throat, and other tissues of the respiratory system.	May cause respiratory tract irritation; symptoms may include coughing and sneezing depending on volume of mist/spray inhaled.
Ingestion	Ingestion of the product can cause serious irritation to the mouth, throat, and other tissues of the digestive system.	May cause gastrointestinal system irritation; symptoms may include pain, sore throat, nausea and vomiting if large volumes are ingested.

- **CHRONIC HEALTH EFFECTS:**

<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
None reported.	None reported.

- **TARGET ORGANS:**

<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Eyes, Skin.	Eyes.

4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

The following information is for both **Product AS SOLD** and **Product at USE DILUTION**.

- **GENERAL INFORMATION: For all exposures:** In case of accident, or if you feel unwell, seek medical advice immediately. Take this document and a copy of the label to the healthcare professional.
- **RECOMMENDATIONS TO PHYSICIANS:** Treat symptomatically.
- **MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:** None reported.

SECTION 5: FIREFIGHTING MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

5.1 EXTINGUISHING MEDIA

- **RECOMMENDED FIRE EXTINGUISHING MEDIA:** Water Spray, Water Jet, Dry Powder, Foam, Carbon Dioxide, Halon, or any other.
- **UNSUITABLE FIRE EXTINGUISHING MEDIA:** None known.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- **NFPA FLAMMABILITY CLASSIFICATION:**

Classification
NFPA Rating

Product as SOLD



Product at USE DILUTION



NFPA Classification

Not flammable.

Not flammable.

- **UNUSUAL HAZARDS IN FIRE SITUATIONS:**

Decomposition

Product as SOLD

Decomposition products may include the following materials: carbon dioxide, carbon monoxide, as well as sulfur and phosphorus oxides.

Product at USE DILUTION

Decomposition products may include the following materials: carbon dioxide, carbon monoxide, as well as sulfur and phosphorus oxides.

Explosion Sensitivity to Mechanical Impact

Not applicable.

Not applicable.

Explosion Sensitivity to Static Discharge

Not applicable.

Not applicable.

5.3 ADVICE FOR FIREFIGHTERS

- Self-Contained Breathing Apparatus and full protective equipment for fire response should be worn in any situation. Move containers from fire area if it can be done without risk to personnel. Otherwise, use water spray to keep fire-exposed containers cool. Because of the nature of this product, any equipment that comes in contact with this solution can be rinsed thoroughly with water and then returned to service.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

- **RESPONSE TO INCIDENTAL RELEASES:** Personnel who have received basic chemical safety training can generally handle small-scale releases. Gloves and safety glasses must be worn when cleaning-up spills. Use caution during clean-up; contaminated floors and items may be slippery.
- **RESPONSE TO NON-INCIDENTAL RELEASES:** Generally, releases of this product will be no larger than the loss of one shipment of material. Subsequently, personnel can follow the instructions for incidental releases. As needed, respond to non-incident chemical releases of this product (such as the simultaneous destruction of several pallets of this product) by clearing the impacted area and contacting appropriate emergency personnel.

In the unlikely event of multi-container release of the **PRODUCT AS SOLD**, and there is no other hazardous condition in the area, the use of an appropriate air-purifying respirator, face-shield, safety glasses, and double gloves (e.g. nitrile over latex gloves), and body protection is recommended if splashes/sprays/mists can be generated during clean-up or the concentration of vapors is high. Use Self-Contained Breathing Apparatus if concentration of oxygen is less than 19.5% or is unknown.

SECTION 6: ACCIDENTAL RELEASE MEASURES (Continued)

- **RESPONSE PROCEDURES FOR ANY RELEASE:** Absorb spilled liquid with polypads or other suitable absorbent materials.

6.2 ENVIRONMENTAL PRECAUTIONS

- Avoid response actions that can cause a release of a significant amount of the substance into the environment. Avoid accidental dispersal of spilled material into soil, waterways and sewers.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

- **SPILL RESPONSE EQUIPMENT:** Polypad or other absorbent material; base neutralizing agent; pH paper.

6.4 REFERENCES TO OTHER SECTIONS

- **SECTION 8:** For exposure levels and detailed personal protective equipment recommendations.
- **SECTION 13:** For waste handling guidelines.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Hygiene Practices	Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.	Keep out of reach of children. Follow good chemical hygiene practices. Do not smoke, drink, eat, or apply cosmetics in the chemical use area. Avoid inhalation of mists and sprays. Use in well-ventilated area. Avoid contact with skin or eyes. Remove contaminated clothing promptly. Clean up spilled product immediately.
Handling Practices	Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.	Employees must be appropriately trained to use this product safely as needed. Keep containers closed when not in use.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Storage Practices	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals. Inspect all incoming containers before storage, to ensure containers are properly labeled and not damaged. Empty containers may contain residual liquid; therefore, empty containers should be handled with care.	Ensure all containers are correctly labeled. Store containers away from direct sunlight, sources of intense heat, or where freezing is possible. Store this product away from incompatible chemicals.
Incompatibilities	See Section 10 (Stability and Reactivity).	See Section 10 (Stability and Reactivity).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

- AIRBORNE EXPOSURE LIMITS:**

COMPONENT	ACGIH TLV	OSHA PEL	NIOSH REL	OTHER
Hydrogen Peroxide	1 ppm (TWA)	1 ppm (TWA)	1 ppm (TWA); 75 ppm (IDLH)	NE
Phosphoric Acid	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1 mg/m ³ (TWA) 3 mg/m ³ (STEL)	1 mg/m ³ (TWA); 3 mg/m ³ (STEL); 1000 mg/m ³ (IDLH)	NE

- BIOLOGICAL OCCUPATIONAL EXPOSURE LIMITS:** Not established.

8.2 EXPOSURE CONTROLS

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Engineering Controls	Use in well-ventilated environment.	Use in well-ventilated environment.
Respiratory Protection	None needed in normal circumstances of use.	None needed in normal circumstances of use.
Hand Protection	Rubber, PVC, or nitrile gloves are recommended. Ensure gloves are intact prior to use.	Standard chemical-resistant gloves used in janitorial work are recommended.
Eye Protection	Splash goggles or safety glasses. Face-shields are recommended when splash, sprays, or mists can be generated.	Safety glasses.
Body Protection	Standard protection used in janitorial service. Rubber apron is recommended if splashes/sprays can be generated.	Standard protection used in janitorial service.

8.3 PERSONAL PROTECTION SYMBOLS

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Hand Protection		
Eye/Face Protection		
Body Protection		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

	<u>Product as SOLD</u>	<u>Product at USE DILUTION</u>
Appearance	Clear, clear colorless liquid	Clear, colorless liquid.
Odor	Odorless	Odorless
Odor Threshold	Not determined.	Not determined.
pH	< 1	> 2
Melting Point/Freezing Point	0°C (32°F)	0°C (32°F)
Initial Boiling Point/Boiling Range	100°C (212°F)	100°C (212°F)
Flash Point	Not applicable.	Not applicable.
Evaporation Rate (Water = 1)	Not determined.	Not determined.
Flammability	Not applicable.	Not applicable.
Upper/Lower Explosive Limits	Not applicable.	Not applicable.
Vapor Pressure	Not determined.	Not determined.
Vapor Density	Not determined.	Not determined.
Relative Density	1.04	Approximately 1.00
Solubility	Not determined.	Not determined.
Partition Coefficient/n-octanol/water	Not determined.	Not determined.
Autoignition Temperature	Not determined.	Not determined.
Decomposition Temperature	Not determined.	Not determined.
Viscosity	Not determined.	Not determined.

9.2 OTHER INFORMATION

- **WEIGHT% VOC:** Not determined.

SECTION 10: STABILITY AND REACTIVITY

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

10.1 REACTIVITY

- Not reactive under typical conditions of use or handling.

10.2 CHEMICAL STABILITY

- Normally stable under standard temperatures and pressures.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

- This product is not self-reactive, water-reactive, or air-reactive. This product will not undergo hazardous polymerization.

10.4 CONDITIONS TO AVOID

- Avoid contact with incompatible chemicals.

10.5 INCOMPATIBLE MATERIALS

- Strong acids, strong bases, metals, salts, organics, reducing agents, dust and dirt.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

- Oxygen gas, carbon dioxide, carbon monoxide, hydrocarbons, or organic compounds may be formed during thermal decomposition.

SECTION 11: TOXICOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

- **ACUTE TOXICITY:**

- **PRODUCT TOXICOLOGY DATA:** The following are calculated estimates for the product:
 - Acute Toxicity Estimate (Oral) > 2000 mg/kg
 - Acute Toxicity Estimate (Dermal) > 2000 mg/kg
 - Acute Toxicity Estimate (Inhalation) > 10 mg/L
- **COMPONENT TOXICITY DATA:** Acute Toxicity Estimate (Oral) The following data are available for the hazardous components in this product listed in Section 3 (Composition/Information on Ingredients).

PROPYLENE GLYCOL N-PROPYL ETHER

LD50 (oral, rat) = 2504 mg/kg
LD50 (dermal, rabbit) = 3350 mg/kg

DODECYLBENZENE-SULFONIC ACID

LD50 (oral, rat) = 14500 mg/kg
LD50 (dermal, rabbit) > 2000 mg/kg

ALCOHOLS, C6-C12, ETHOXYLATED

LD50 (oral, rat) = 5100 mg/kg
LD50 (dermal, rabbit) = 1500 mg/kg
LC50 (inhalation, rat) > 3.2 mg/L/1 hour

HYDROGEN PEROXIDE

LD50 (oral, rat) = 1193 mg/kg
LD50 (Dermal, Rabbit) = 2000 mg/kg

PHOSPHORIC ACID

LD50 (oral, rat) = 1530 mg/kg
LD50 (dermal, rabbit) = 2730 mg/kg
LC50 (inhalation, rat) = 850 mg/m³/1 hour

- **DEGREE OF IRRITATION:** The concentrated product can cause serious damage to the eye disuse and is irritating to the skin. The dilution product can cause serious eye irritation. See Section 4 (First Aid Measures) for more details.
- **SENSITIZATION:** The components of this product are not reported to have skin or respiratory sensitization effects.
- **REVIEW OF ACUTE SYMPTOMS AND EFFECTS BY ROUTE OF EXPOSURE:** See Section 2 (Hazards Information) and Section 4 (First-Aid Measures) for additional details.

See Section 4 (First-Aid Measures) for more details.

Eyes
Skin

Inhalation

Ingestion

Product as SOLD

Causes serious eye damage.
Causes skin irritation.

May be very irritating to tissues of the respiratory system.

May be very irritating to tissues of the digestive system.

Product at USE DILUTION

Causes serious eye irritation.
May cause mild to moderate skin irritation.

May be irritating to tissues of the respiratory system.

May be irritating to tissues of the digestive system.

- **CHRONIC TOXICITY:**

- **CARCINOGENICITY STATUS:** The following table summarizes the carcinogenicity listing for the components of this product. "NO" indicates that the substance is not considered to be, or suspected to be, a carcinogen by the listed agency.

CHEMICAL	IARC	NTP	NIOSH	OSHA	OTHER
Propylene Glycol n-Propyl Ether	NO	NO	NO	NO	NO
Dodecylbenzene-sulfonic Acid	NO	NO	NO	NO	NO
Alcohols, C6-C12, ethoxylated	NO	NO	NO	NO	NO
Phosphoric Acid	NO	NO	NO	NO	NO
Hydrogen Peroxide	NO	NO	NO	NO	IARC -3; Unclassifiable as to Carcinogenicity. MAK-4: No significant contribution to human cancer risk is anticipated. TLV-A3: Confirmed Animal Carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

Unless stated, information in this section is for both **Product as SOLD** and **Product at USE DILUTION**.

12.1 TOXICITY

- Based on the concentration of components, the product is classified as Aquatic Toxicity – Acute (Category 3).
- This product can be harmful to the aquatic environment, especially if large volumes are released into the environment.
- The following aquatic toxicity data are available for components of this product:

PHOSPHORIC ACID

LC50 fishes - 138 mg/L, (96 Hours)
 LC50 other aquatic organisms - 100 - 1000 mg/L (96 hours)
 LC50 fish - 100 - 1000 mg/L
 LC50 other aquatic organisms - 240 mg/L
 TLM fish - 138 ppm (24 hours, Gambusia affinis)
 Threshold limit other aquatic organisms - 100 – 1000 (96 hours, Protozoa)
 Threshold limit other aquatic organisms - 240 mg/L
 TLM fish -138 ppm (24 hours, Gambusia affinis)
 Threshold limit other aquatic organisms - 100 – 1000 (96 hours, Protozoa)
 Threshold limit other aquatic organisms - 240 mg/L

HYDROGEN PEROXIDE

LC50 Pimephales promelas – 10-32 mg/L (96 Hours)
 LC50 Oncorhynchus mykiss 18 – 56 mg/L (96 Hours)
 EC50 Static Daphniamagna 18 – 32 mg/L (48 hours)

DODECYLBENZENE-SULFONIC ACID

LC50 fishes – 1.67 mg/L, (96 Hours)
 LC50 algae/aquatic plants – 47.3 mg/L (72 hours)
 LC50 Crustacea – 2.4 mg/L (48 hours)

ALCOHOLS, C6-C12, ETHOXYLATED

LC50 Crustacea – 9.2 mg/L (48 hours)

12.2 PERSISTENCE AND DEGRADABILITY

- When released into the soil, the components of this product are expected to biodegrade, dissipate in soils via oxidation, or otherwise chemically degrade or photo-decompose via solar radiation.

12.3 BIOACCUMULATIVE POTENTIAL

- This product is not anticipated to bioaccumulate significantly.

12.4 MOBILITY IN SOIL

- Not available.

12.5 OTHER ADVERSE EFFECTS

- None reported.

SECTION 13: DISPOSAL CONSIDERATION

13.1 WASTE TREATMENT METHODS

Product as SOLD

Dispose of in accordance with local, State and Federal regulations.

Product at USE DILUTION

Dispose of unused product in accordance with local, State and Federal regulations.

13.2 DISPOSAL CONSIDERATIONS

- EPA RCRA WASTE CODE:** D002, applicable to wastes consisting of Product as SOLD.

SECTION 14: TRANSPORT INFORMATION

14.1 DANGEROUS GOODS BASIC DESCRIPTION AND OTHER TRANSPORT INFORMATION

- DEPARTMENT OF TRANSPORTATION HAZARDOUS MATERIALS SHIPPING REGULATIONS:**

UN/NA Number	Proper Shipping Name	Packing Group	Hazard Class	Label	North American Emergency Response Guide #	Marine Pollutant Status
NOT APPLICABLE						

SECTION 14: TRANSPORT INFORMATION (Continued)

- **IATA DESIGNATION:** This product is not regulated as dangerous goods by the International Air Transport Association.
 - **IMO DESIGNATION:** This product is not regulated as dangerous goods by the International Maritime Organization.
- 14.2 ENVIRONMENTAL HAZARDS**
- None described, as related to transportation.
- 14.3 SPECIAL PRECAUTIONS FOR USERS**
- Not applicable.
- 14.4 TRANSPORT IN BULK**
- Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH, AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT

- **OTHER IMPORTANT U.S. REGULATIONS**
 - **U.S. SARA THRESHOLD PLANNING QUANTITY:** Not applicable.
 - **U.S. SARA HAZARD CATEGORIES (SECTION 311/312, 40 CFR 370-21):** ACUTE: Yes; CHRONIC: No; FIRE: No; REACTIVE: No; SUDDEN RELEASE: No
 - **U.S. CERCLA REPORTABLE QUANTITY (RQ):** Dodecylbenzene Sulfonic Acid = 1000 lb.; Phosphoric Acid = 5000 lb.
 - **U.S. TSCA INVENTORY STATUS:** All components are listed or exempted.
 - **U.S. SARA 313:** Not applicable to this product.
 - **CALIFORNIA SAFE DRINKING WATER ACT (PROPOSITION 65) STATUS:** Not applicable.
- **INTERNATIONAL REGULATIONS**
 - **CANADIAN REGULATORY STATUS:** The **PRODUCT as SOLD** is classified as hazardous under Canadian Hazardous Products Regulations. The SDS contains all required information.
 - **WHMIS 2015:** See Section 2.
 - **CANADIAN DSL/NDSL INVENTORY STATUS:** All components are listed or exempted.
 - **CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITY SUBSTANCES LISTS:** No component is listed.

SECTION 16: OTHER INFORMATION

- 16.1 INDICATION OF CHANGE**
- **DATE OF REVISION:** April 11, 2017
 - **SUPERCEDES:** January 25, 2017
 - **CHANGE INDICATED:** Additional product.
- 16.2 KEY LITERATURE REFERENCES AND SOURCES FOR DATA**
- TOXNET -- <http://toxnet.nlm.nih.gov/>
 - European Chemicals Inventory Classification and Listing: <http://echa.europa.eu>

SECTION 16: OTHER INFORMATION

16.3 HAZARDOUS MATERIALS CLASSIFICATION SYSTEM

Product as SOLD		Product at USE DILUTION	
Health	3	Health	1
Flammability	0	Flammability	0
Physical Hazard	0	Physical Hazard	0
Protective Equipment	B/C	Protective Equipment	B

HMIS Personal Protective Equipment Rating:
Occupational Use situations: B - Safety glasses and gloves. C - Rubber apron should be added if splashes/sprays can occur

HMIS Personal Protective Equipment Rating:
Occupational Use situations: B - Safety glasses and gloves

16.4 DISCLAIMER

WAXIE Sanitary Supply makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by WAXIE Sanitary Supply as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does WAXIE Sanitary Supply assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. WAXIE Sanitary Supply does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.

16.5 ABBREVIATIONS AND ACRONYMS

ALL SECTIONS: OSHA: U.S. Federal Occupational Safety and Health Administration. WHMIS: Canadian Workplace Hazardous Materials Standard. GHS: Globally Harmonized System of Classification of Chemical Substances.

SECTION 3: CAS Number: Chemical Abstract Service Number, which is used by the American chemical Society to uniquely identify a chemical.

SECTION 5: NFPA: National Fire Protection Association. **NFPA FLAMMABILITY CLASSIFICATION:** The NFPA uses the flash point (F.P.) and boiling point (BP) to classify flammable or combustible liquids. Class IA: F.P. below 73°F and BP below 100°F. Class IB: F.P. below 73°F and BP at or above 100°F. Class IC: F.P. at or above 73°F and BP at or above 100°F. Class II: F.P. at or above 100°F and below 140°F. Class IIIA: F.P. at or above 140°F and below 200°F. Class IIIB: F.P. at or above 200°F. **NFPA HAZARDOUS MATERIALS RATING:** This is a rating system used to summarize physical and health hazards to firefighters. 0 = No Significant Hazard, 1 = Slight Hazard, 2 = Moderate Hazard, 3 = Severe Hazard, 4 = Extreme Hazard.

SECTION 8: NE: Not established. ACGIH: American Conference of Government Industrial Hygienists; TWA: Time-Weighted Average (over an 8-hour work day); STEL: Short-Term Exposure Limit (15 minute average, no more than 4-times daily and each exposure separated by one-hour minimally); C: Ceiling Limit (concentration not to be exceeded in a work environment). PEL: Permissible Exposure Limit. NIOSH: National Institute of Occupational Safety and Health; REL: Recommended Exposure Limit. ppm: Parts per Million, mg/m³: Milligrams per cubic meter. mppcf: Millions of Particles per Cubic Foot. BEL: Biological Exposure Limit.

SECTION 9: pH: Scale (0 to 14) used to rate the acidity or alkalinity of aqueous solutions. For example, a pH value of 0 indicates a strongly acidic solution, pH of 7 indicates a neutral solution, and a pH value of 14 indicates an extremely basic solution. **FLASH POINT:** Temperature at which a liquid generates enough flammable vapors so that ignition may occur. **AUTOIGNITION TEMPERATURE:** Temperature at which spontaneous ignition occurs. **LOWER EXPLOSIVE LIMIT (LEL):** The minimal concentration of flammable vapors in air which will sustain ignition. **UPPER EXPLOSIVE LIMIT (UEL):** The maximum concentration of flammable vapors in air which will sustain ignition. ≈: Approximately symbol. VOC: Volatile Organic Compound.

SECTION 11: CARCINOGENICITY STATUS: NTP: National Toxicology Program. IARC: International Agency for Research on Cancer. **REPRODUCTIVE TOXICITY INFORMATION:** Mutagen: Substance capable of causing chromosomal damage to cells. Embryotoxin: Substance capable of damaging the developing embryo in an overexposed female. Teratogen: Substance capable of damaging the developing fetus in an overexposed female. Reproductive toxin: Substance capable of adversely affecting male or female reproductive organs or functions. **TOXICOLOGY DATA:** LD_{xx} or LC_{xx}: The Lethal Dose or Lethal Concentration of a substance which will be fatal to a given percentage (xx) of exposed test animals by the designate route of administration. This value is used to access the toxicity of chemical substances to humans. TD_{xx} or TC_{xx}: The Toxic Dose or Toxic Concentration of a substance which will cause an adverse effect to a given percentage (xx) of exposed test animals by the designate route of administration.

SECTION 12: EC₅₀: Effect Concentration (on 50% of study group); BOD: Biological Oxygen Demand. COD: Chemical Oxygen Demand. ThOD: Theoretical Oxygen Demand. TLM: Median Tolerance Limit.

SECTION 13: RCRA: Resource Conservation and Recovery Act. The regulations promulgated under this act under Act are found in 40 CFR, Sections 260 ff, and define the requirements of hazardous waste generation, transport, treatment, storage, and disposal. EPA RCRA Waste Codes: Defined in 40 CFR Section 261.

SECTION 15: CERCLA: Comprehensive Environmental Response Compensation and Liability Act (a.k.a. "Superfund") and SARA: (Superfund Amendment and Reauthorization Act). The regulations promulgated under this Act are located under 40 CFR 300 ff, and provide "community right-to-know" requirements. TSCA: Toxic Substances Control Act: Rules regulating the manufacture and sale of chemicals found in 40 CFR 700-766. DSL/NDL: Canadian Domestic Substances and Non-Domestic Substances Lists.

SECTION 16: HAZARDOUS MATERIALS IDENTIFICATION SYSTEM RATING: This is a rating system used by industry to summarize physical and health hazards to chemical users and was originally developed by the National Paint and Coating Association. 0 = No Significant Hazard. 1 = Slight Hazard. 2 = Moderate Hazard. 3 = Severe Hazard. 4 = Extreme Hazard.