MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. ______ PRODUCT NUMBER: 228 IDENTITY: FREZE-IT Revision Date: 01/16/2007 ______ Section I ______ Manufacturer's Name: OUEST CHEMICAL CORPORATION Telephone Numbers: 12255 FM 529 Address: Emergency: NORTHWOODS INDUSTRIAL PARK 800/255-3924 Information: HOUSTON State: TX Zip Code:77041 713/8968188 ______ HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 4 HEALTH: 1 PERSONAL PROTECT: A Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.) ______ Name Cas No. OSHA PEL ACGIH TLV OTHER LIM % PROPANE/N-BUTANE 68476-86-8 1000 PPM 600 PPM N/A Section III: PHYSICAL/CHEMICAL CHARACTERISTICS ______ 7.3F Specific Gravity (water=1) 0.56 Boiling Point: Vapor Pressure (mm Hg) 46PSI Melting Point:
Vapor Density (AIR=1) 1.85 Evaporation Rate: N/AVapor Density(AIR=1) 1.85 Evaporation Rate: Solubility in Water: SLIGHT (Butyl Acetate=1) N/AAppearance and Odor: CLEAR SPRAY, ODORLESS Section IV: FIRE AND EXPLOSION HAZARD DATA ______ Flash Point (Method Used): -118 TCC Flammable Limits: LEL:1.8 UEL: 9.5

Flash Point (Method Used): -118 TCC Flammable Limits: LEL: 1.8 UEL: 9.5 Extinguishing Media: WATER SPRAY OR FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE Special Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED IF CONTAINERS RUPTURE OR RELEASE UNDER FIRE CONDITIONS

Unusual Fire and Explosion Hazards: FLAMMABLE. CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120F MAY CAUSE BURSTING.

PRODUCT NUMBER: 228 ______

Stability: Unstable: Conditions to avoid: Stable: X TEMPERATURES ABOVE 120 F

Incompatability (Materials to Avoid): NONE KNOWN

Hazardous Decomposition or Byproducts: MAY FORM IF IGNITION OCCURS

Hazardous Polymerization: May Occur: Will Not Occur: X

Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: NO

Health Hazards (Acute and Chronic):

INHALATION: EXCESSIVE BREATHING OF SPRAY MIST MAY LEAD TO UNCONSCIOUSNESS.

SKIN: SPRAYING ON SKIN COULD CAUSE BURNING DUE TO FREEZING ACTION.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO Signs and Symptoms of Exposure: SHORTNESS OF BREATH, LIGHT-HEADEDNESS

Medical Conditions Generally Aggravated by Exposure: EXCESSIVE EXPOSURE WILL AGGRAVATE RESPIRATORY CARDIOVASCULAR OR PULMONARY ILLNESSES.

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. SKIN: ALLOW SKIN TO RETURN TO ROOM TEMPERATURES. CONTACT PHYSICIAN IMMEDIATELY.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: PRODUCT WILL NORMALLY EVAPORATE RAPIDLY, LEAVING NO RESIDUE.

Waste Disposal Method: DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

Precautions to be Taken in Handling and Storing: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Other Precautions: NONE

Section VIII: CONTROL MEASURES

Respiratory Protection: N/A Ventilation: Local Exhaust:N/A

Mechanical: N/A Special: N/A

Other: N/A Protective Gloves:N/A

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHEN USING CHEMICAL PRODUCTS

Other Protective Clothing or Equipment:

N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE