

WILLIAM K WESTLEY CO -- B LASTER PB PENETRATING CATALYST -- 9150-00N069438

=====
Product Identification
=====

Product ID: B LASTER PB PENETRATING CATALYST

MSDS Date: 11/16/1994

FSC: 9150

NIIN: 00N069438

MSDS Number: BZQNZ

=== Responsible Party ===

Company Name: WILLIAM K WESTLEY CO

Address: 9345 MIDWEST AVENUE D

City: GARFIELD HTS

State: OH

ZIP: 44125

Country: US

Info Phone Num: 216-587-0011; 800-858-6605

Emergency Phone Num: 216-587-0011; 800-858-6605

CAGE: 0BNB4

=== Contractor Identification ===

Company Name: WILLIAM K WESTLEY CO

Address: 9545 MIDWEST AVE STE D

Box: City: GARFIELD HTS

State: OH

ZIP: 44125

Country: US

Phone: 216-587-0011

CAGE: 0BNB4

=====
Composition/Information on Ingredients
=====

Ingred Name: SOLVENT NAPHTHA; (AROMATIC HYDROCARBON)

CAS: 64742-94-5

RTECS #: WF3100000

Fraction by Wt: <57%

OSHA PEL: N/K

ACGIH TLV: N/K

Ingred Name: XYLENE; (AROMATIC HYDROCARBON-XYLOL) (SARA 313) (CERCLA)

CAS: 1330-20-7

RTECS #: ZE2100000

Fraction by Wt: <8%

OSHA PEL: 100 PPM

ACGIH TLV:100 PPM/150 STEL
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL; (ISO ALCOHOL) (SARA 313)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: <4%
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/500 STEL

Ingred Name:CRESYLIC BLEND
Fraction by Wt: <0.5%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:VOLATILE ORGANIC COMPOUND:68.7%
RTECS #:9999999VO
OSHA PEL:N/K
ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:INHALATION MAY CAUSE IRRITATION
TO RESPIRATORY TRACT, DIZZINESS, COUGHING SHORTNESS OF BREATH,
HEADACHES. EYES MAY CAUSE IRRITATION, REDNESS *(SYSTEMIC EFFECTS
WITH >1000PPM XYLOL-LIVER AND KID NEY DAMAGE).
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INGEST:CALL MD IMMEDIATELY . SKIN:WASH W/SOAP & WATER,
EMOLLIENT CREAM IS BENEFICIAL. EYES:FLUSH W/LOTS OF WATER FOR @
LEAST 15 MINS. INHAL:PROVIDE WITH FRESH AIR AND REST. CALL PHYS IF
NECESSAR Y.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC

Flash Point:80.0F,26.7C

Extinguishing Media:CHEMICAL FOAM, DRY CHEMICAL, WATER FOG, CO*2.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE

EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT AND DISPOSE OF THE SAME AS DONE WITH OIL OR ALIPHATIC SOLVENTS; AVOID FLAME, PROVIDE ADEQUATE VENTILATION, DO NOT FLUSH DOWN DRAINS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STAY AWAY FROM EXTREME HEAT OF FLAME.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN INADEQUATE VENTILATION, USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS.

Ventilation:LOCAL EXHAUST IS SATISFACTORY.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPRVD EMERGENCY EYE WASH & DELUGE SHOWER .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

FL PT:165F,74C NO FLASH, BURNS. METH:COC.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:284F,140C

Vapor Pres:0.06

Spec Gravity:0.91

pH:6.5

Evaporation Rate & Reference:0.04% BUTYL

Solubility in Water:35% EMULSION

Appearance and Odor:PUNGENT; CLEAR ORANGE LIQUID.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
NONE KNOWN.
Stability Condition to Avoid: NONE KNOWN.
Hazardous Decomposition Products: NONE KNOWN.

=====
===== Disposal Considerations =====

Waste Disposal Methods: COLLECT AND DISPOSE OF SAME AS DONE WITH OIL OR ALIPHATIC SOLVENTS, PER LOCAL, STATE AND FEDERAL REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.