

FOR 24 HR. EMERGENCY INFORMATION CALL CHEMTREC 1-800-424-9300

PRODUCT MAKE BRAKLEEN AEROSOL

PRODUCT-05089,05089P, 35089T

#-HSUS05089

(Page 1 of 2)

				frage I o	I 21
1. INGREDIENTS	CAS U	ACG1H TLV	osha Pel	other Linits	.`
Tetrachloroethylene Carbon Dioxide	127-16-4 124-38-9	25 yya 5000 ypa	25 ຍຸມຫ 10000		> 90 < 10
				1	
2. PHYSICAL DATA				L	
Specific Gravity : 1.619	Vapur Pi 3 Volai	Cessura	: 13 mmHg	1	
Boiling Point (250)		Line Line Kate	i 100		
Freezing Point : ND		ensity	i kapid i > air		
Appearance and Odor:	per ex	-	I NA		
Colorless llquid, irri	italing odor at high	COUCEUCTS	tions.		
	light solubility in a rganic materials.	later- goo	d solvent	: for many	,
Flashpoint : None Hethod : Flammable Limits : Extinguishing Hedia : Water Unusual Hazards : Aeros	LEL:NA U fog sol cans may explode	ELINA above 120) F.		
Stability i Stabl Kazardous decomposition pro	le oducts	• • • • •			
	al- Hydrogen chlorid Jene-avold open flane				
faterials to avoid a Avoid with	storage in aluminum aluminum and/or zinc	containe powlers.	rs or con	Cact	
5. PROTECTION INFORMATION					
Ventilation + Adegu	ate to prevent the a	ccumulaci	cn of vap	ors.	
	ive pressure self-co				
appar Gloves : Solvent resis	atus if accumulation	or vapor. Ce 1 Safe			
ther Protective Equipment:					
exista	-			••	

2901

MATERIAL SAFETY DATA SIDELT

•

PRODUCT NAME	BRAKLEEN AEROSOL	₩-115DS05089
HANUFACTURED BY :	CRC INDUSTRIES, INC. 845 LOUIS DRIVE, WARNI	PRODUCTS-05089,05089P,05089T PHONE (215) 674-430 INSTUR, PA. 18974 (Page 2 of 2)
6. HEALTH HAZARO Primary Routes) DATA of Entry : Inhalation,	Skin
irre	osure: 6 skin - irritation. f ous system effects, hea talon to upper respirat gular beauthoare	nhalation - causes central daches, dizziness, drunkeness, ory tract, unconsciousness and xposures have caused liver
Nedical Condition	ns Generally Aggravated # Risk to your he duration of exp	Paith devends on the level and
hemical Listed as or Potential	5 Carcinogen : Yes Nati L Carcinogen : Yes larc : Yes OSH	lonal Toxicology Program 2 Honographs 1
mergency and Firs	st Ald Procedures : (If	symptoms persist, call a physician)
1. Inhal	lation : Remove to fresh if necessar	air. Apply artificial respiration
2. Буез		e amounts of Water for 15 minutes.
Э. Skin	: Remove contamin with soap a	nated clothing. Wash exposed area Ind water.
4. Inges	tion , Do NOT induce v	omiting- call a physician.
. SPILL OR LEAK P recautions to be n Handling and St	taken i Store in a coo	l, dry area.
teps to be taken aterial is releas pilled	ed of suffer spill a	ater supply. Ventilate area. Do not rea without respirator. Dike area and tainers or use absorbent to pick up.
aste Disposal 1	All used and unused Pro conformance with local,	duct should be disposed of in state and federal regulations.
Utan air and w. areas, do not d	ATT COLLECT IN IUW died:	: ing of vapors. Vapors are heavier s. If vapors are suspected in low eathing apparatus is used and an etrachloroethylene is listed as a
NFPA HAZARD KAT	LNGS Health:2 Flam	mability:0 Reactivity:0
achorerud miner	on Ontains the following c: Section 313 of SARA Tr Demical Name	nemicals that are subject to release itle III. CAS-# Percent
Tetrachlor	oethylene	127-18-4 > 90