# AIKEN CHEMICAL COMPANY, INC. Safety Data Sheet Purple Power Industrial Strength Cleaner/Degreaser

# **SECTION 1: Identification**

### 1.1 Product identifier

Product name	Purple Power Industrial Strength Cleaner/Degreaser
Product number	4302P; 4315PS; 4332PS; 4319PS; 4320P; 4380DG; 4322P; 4325P; 4340 PP275: PP330
Brand	Purple Power

### 1.3 Recommended use of the chemical and restrictions on use

Uses: Degreasing/Cleaning engine parts, tools, floors, grills, and a variety of other surfaces; Pre-treat grease stains in clothing

DO NOT USE ON: Polished aluminum; Chrome; Painted surfaces; Glass.

#### 1.4 Supplier's details

Name Address	Aiken Chemical Company, Inc. P.O. Box 29616 Greenville, SC 29650 USA
Telephone Fax email	864-968-1250 864-968-1252 donnie@clean-rite.com

#### **1.5 Emergency phone number(s)** 800-424-9300

# **SECTION 2: Hazard identification**

#### 2.1 Classification of the substance or mixture

- Serious eye damage/eye irritation (chapter 3.3), Cat. 2
- Skin corrosion/irritation (chapter 3.2), Cat. 2

#### 2.2 GHS label elements, including precautionary statements

#### Pictogram

Signal word

### Warning

Hazard statement(s) H315 H319

Causes skin irritation Causes serious eye irritation

#### Precautionary statement(s) P264

P280 P302+P352 P305+P351+P338

P321 P332+P313 P337+P313 P362+P364 Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water/apply a lotion to the area. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Specific treatment (treat systematically). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

# **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Hazardous components

1. Diethylene Glycol Monobutyl ether		
Concentration	1 - 5 % (weight)	
CAS no.	112-34-5	

# **SECTION 4: First-aid measures**

### 4.1 Description of necessary first-aid measures

General advice	Consult a physician/doctor if necessary. Take proper precautions to ensure your own health and safety before attempting rescue and providing first aid. Show this material safety data sheet to the doctor in attendance.
If inhaled	If breathed in, move person into fresh air. If not breathing, give artificial respiration.
In case of skin contact	IF ON SKIN: Wash with plenty of soap and water/apply a lotion to the area. Get medical attention if irritation develops and persists.
In case of eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Seek medical attention if irritation persists or if you feel unwell.
If swallowed	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
Personal protective equipment for first-aid responders First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.	

### 4.2 Most important symptoms/effects, acute and delayed

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Effects are dependent on exposure (dose, concentration, contact time). Effects are immediate and delayed. Symptoms may include irritation, burns, and pain. Causes skin irritation and eye irritation. Review section 2 of SDS to see all potential hazards.

# **SECTION 5: Fire-fighting measures**

- 5.1 Suitable extinguishing media Use extinguishing media appropriate for surrounding fire.
- **5.2** Specific hazards arising from the chemical This material will not burn until the water has evaporated. Residue can burn.

# 5.3 Special protective actions for fire-fighters

Fire fighters should enter area only if they are protected from all contact with the material. Full protective clothing, including self-contained breathing apparatus, coat, pants, gloves, boots and bands around legs, arms, and waist, should be worn. No skin surfaces should be exposed.

### **Further information**

Slipping hazard if product is spilled on the floor.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with absorbent material and place into containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

# **7.2** Conditions for safe storage, including any incompatibilities Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry and well-ventilated place.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### 1. Diethylene Glycol Monobutyl ether (CAS: 112-34-5)

TWA: 10 ppm inhalable fraction and vapor (ACGIH)

#### 8.2 Appropriate engineering controls

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)





#### Eye/face protection

Face shield and/or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body protection**

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Distribution, Workplace and Household Settings: No special protective equipment required. Product Manufacturing Plant (needed at Product-Producing Plant ONLY): In case of insufficient ventilation wear suitable respiratory equipment

### Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) Odor	Liquid mild
Odor threshold	No data available.
рН	11 - 12
Melting point/freezing point	0 °C (32 °F)
Initial boiling point and boiling range	100℃ (212°F)
Flash point	Not Flammable
Evaporation rate	No data available.
Flammability (solid, gas)	Not Flammable
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.02
Solubility(ies)	Complete in water
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

#### Other safety information

No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Mild reactivity to aluminum

#### 10.2 Chemical stability

Stable at typical use temperatures.

**10.3 Possibility of hazardous reactions** Polymerization will not occur.

### 10.4 Conditions to avoid

Avoid contact with: Oxidizers. Strong acids.

### 10.5 Incompatible materials

Avoid contact with: Oxidizers. Strong acids.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects

#### Acute toxicity

Product: Not classified. -----Ingredients:

Diethylene Glycol Monobutyl Ether: Acute oral toxicity: Based on acute toxicity values, not classified. LD50: 2,410 mg/kg Species: Mouse Acute inhalation toxicity: Based on acute toxicity values, not classified. LC50: > 2.1 mg/l Exposure time: 4 HOURS Species: Rat Acute dermal toxicity: Based on acute toxicity values, not classified.

LD50: 2,764 mg/kg Species: Rabbit Skin corrosion/irritation: Based on skin irritation values, not classified.

#### Skin corrosion/irritation

Product: Skin irritation category 2

Diethylene Glycol Monobutyl Ether: Skin - Rabbit Result: Skin irritation - 20 h

### Serious eye damage/irritation

Product: Eye irritation category 2 -----Diethylene Glycol Monobutyl Ether: Eyes - Rabbit Result: Eye irritation - 24 h (OECD Test Guideline 405)

### Respiratory or skin sensitization

Product: This product is not expected to cause skin sensitization. -----Diethylene Glycol Monobutyl Ether: Maximization Test - Guinea pig Result: Does not cause skin sensitization. (OECD Test Guideline 406)

#### Germ cell mutagenicity

Product: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Diethylene Glycol Monobutyl Ether: Hamster ovary Result: negative OECD Test Guideline 474 Mouse - male Result: negative

#### Carcinogenicity

No component of this product is present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product is present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product is present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

Product:

For the active ingredient(s): In animal studies, did not interfere with reproduction.

## STOT-single exposure

No data available

# STOT-repeated exposure

No data available

### Aspiration hazard

No data available

# **SECTION 12: Ecological information**

### Toxicity

Product: No known Eco-toxicological effects.

Ingredient:

Diethylene Glycol Monobutyl Ether:

Low acute toxicity to fish; Low acute toxicity to aquatic invertebrates; Low toxicity to algae; Low toxicity to sewage microbes. Based on acute aquatic toxicity values, not classified.

### Persistence and degradability

Product: No data for product -----Ingredients; Diethylene Glycol Monobutyl Ether: Biodegradability 85% rapidly degradable (after 28 days in a ready biodegradability test).

### **Bioaccumulative potential**

Product: Not expected to bioaccumulate. -----Ingredeint: Diethylene Glycol Monobutyl Ether: Bioconcentration factor (BCF); 1.4 - 3.2 Method: (QSAR calculated value). This material is not expected to bioaccumulate.

### Mobility in soil

Product: Low absorption to soil particulate predicted. -----Ingredients: Diethylene Glycol Monobutyl Ether: Stability in soil, No data available. Low absorption to soil particulate predicted.

# **SECTION 13: Disposal considerations**

### Disposal of the product

Dispose in accordance with all applicable federal, state, and local regulation. Contact your federal, state, and local authorities for specific rules.

### Disposal of contaminated packaging

Dispose in accordance with all applicable federal, state, and local regulation. Contact your federal, state, and local authorities for specific rules.

# DOT (US)

UN Number: Not regulated as dangerous goods. Class: N/A Packing Group: N/A Proper Shipping Name: N/A Reportable quantity (RQ): N/A Marine pollutant: N/A Poison inhalation hazard: N/A

# **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations specific for the product in question

### **California Prop 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### **SARA 302**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 311/312 Hazards

Acute Health Hazard

### SARA 313

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold reporting levels established by SARA Title III, Section 313.

### 15.2 Chemical Safety Assessment

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System) Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

### **HMIS Rating**

Purple Power Industrial Strength		
Cleaner/Degreaser		
HEALTH	1	
FLAMMABILITY	0	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	D	

### **NFPA Rating**



# **SECTION 16: Other information**

Abbreviations, acronyms ACGIH = American Conference of Governmental Industrial Hygienists bw = body weight bw/day = body weight/day EC x = Effect Concentration associated with x% response GLP = Good Laboratory Practice IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals LL = Lethal Loading NIOSH = National Institute of Occupational Safety and Health NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration NOEL = No Observed Effect Level OECD = Organization for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material fw = fresh water mw = marine water or = occasional release dw = dry weightSCBA = Self Contained Breathing Apparatus Legend Section 8 ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH - National Institute for Occupational Safety and Health **TLV - Threshold Limit Values** PEL - Permissible Exposure Limits IDHL - Immediately Dangerous to Life or Health concentrations TWA - Time Weight Average STEL - Short Term Exposure Limits S\* - Skin notation TSCA - Toxic Substance Control Act 16.1 Further information/disclaimer

The information is based on our knowledge to date but does not constitute an assurance of product properties and does not imply a legal contractual relationship. Safety Data Sheet information is based on the individual ingredients Safety Data Sheets provided by the supplier.

# 16.2 Preparation information

Aiken Chemical Company, Inc. P.O. Box 27147 Greenville, SC, 29616 864-968-1250 800-828-1860 864-968-1252 (fax)