


# MSDS - Material Safety Data Sheet

Product Name: LIQUID WRENCH SUPER OIL

MSDS No.: L1004

## I. Basic Information:

Manufacturer: RADIATOR SPECIALTY COMPANY  
Address: 600 RADIATOR ROAD  
City, ST Zip: INDIAN TRAIL, NC 28079  
Emergency Contact: Rocky Mountain Poison Control Center  
Emergency Telephone Number: 303-623-5716  
Contact: Robert Geer  
Information Telephone Number: 704-688-3430



0	Health
1	Flammability
0	Reactivity
B	Pers. Protection

Last Update: 01/10/2005

Chemical State:  Liquid  Gas  Solid

Chemical Type:  Pure  Mixture

## II. Ingredients:

Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP	SUB Z	313						
64742467	Petroleum Distillate, Hydrotreated Middle							5 mg/m3 (m	5 mg/m3 (m		
72623848	Severely Hydrotreated Lubricating Oil							5 mg/m3 (m	N/E		
72623871	Severely Hydrotreated Paraffinic Oil							5 mg/m3 (m	5 mg/m3 (m		

## III. Hazardous Identification:

Hazard Category:

Acute  Chronic  Fire  Pressure  Reactive

Hazardous Identification Information:

Danger: Harmful or Fatal if Swallowed.

## IV. First Aid Measures:

Route(s) of Entry:

Absorption, Inhalation, and Ingestion.

Health Hazards (Acute and Chronic):

See signs and symptoms

Signs and Symptoms:

Eye Contact: This product is minimally irritating to the eyes upon contact.

Skin Contact: Prolonged contact may cause dermatitis.

Inhalation: may be irritating to respiratory tract when exposed to oil mist.

Ingestion: This product has laxative properties and may result in abdominal cramps and diarrhea. Product is non-toxic unless aspiration occurs. Aspiration of vomitus into the lungs can be HARMFUL OR FATAL.

Medical Conditions Generally Aggravated by Exposure:

None known

# MSDS - Material Safety Data Sheet

**Product Name: LIQUID WRENCH SUPER OIL**

MSDS No.: L1004

## IX. Physical and Chemical Properties:

Boiling Point: 599°F

Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): N/D

Vapor Pressure (mm Hg.): N/D

Specific Gravity (H2O = 1): 0.86300

Vapor Density (AIR = 1): N/D

Solubility in Water: Insoluble

Appearance and Odor: Water white liquid, odorless

Other Information: N/D

## X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

Strong oxidizers, acids, peroxides, and chlorine.

Decomposition/By Products:

Carbon monoxide, carbon dioxide, and other oxides.

Hazardous Polymerization:

Will not occur.

## XI. Toxicological Information:

This product is not carcinogenic according to the OSHA Hazard Communication Standard.

## XII. Ecological Information:

N/D

## XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in a recycling centers when empty. Before offering for recycling, empty the can or bottle by using the product according to the label. If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations

## XIV. Transport Information:

DOT Shipping Name: Not DOT regulated.

DOT Hazard Class: None

Vessel (IMDG): Not regulated

Air (ICAO): Not regulated

## XV. Regulatory Information:

See Section 2 for SARA Reportable Chemicals.

USA TSCA: All components of this material are listed on the US TSCA Inventory.

## XVI. Other Information:

Do not used in confined area without proper ventilation when exposed to oil mist.. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established

N/D: Not Determined

N/A: Not Applicable

## ***MSDS - Material Safety Data Sheet***

***Product Name: LIQUID WRENCH SUPER OIL***

***MSDS No: L1004***

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.