

Version 1.0

Revision Date: 09/08/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Isopropyl Alcohol			
Manufacturer or supplier's details				
Company	: Nexeo Solutions LLC - STARTEX™			
Address	3 Waterway Square Place Suite 1000			
	Woodlands, TX. 77380			
	United States of America			
Emergency telephone number:				

Health North America: 1-855-NEXEO4U (1-855-639-3648) Health International: 1-855-NEXEO4U (1-855-639-3648) Transport North America: CHEMTREC 800.424.9300

Additional Infor-	: Responsible Party: Product Safety Group
mation:	E-Mail: msds@nexeosolutions.com
	SDS Requests: 1-855-429-2661
	SDS Requests Fax: 1-281-500-2370
	Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 2
Eye irritation	: Category 2A
Specific target organ tox- icity - single exposure	: Category 3 (Central nervous system)
GHS Label element Hazard pictograms	
Signal word	: Danger
Hazard statements	 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/



Version 1.0	Revision Date: 09/08/2015	
	 lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: 	
Potential Health Effects		
Carcinogenicity: IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
ΝΤΡ	No component of this product present at levels greater than or equal to 0.1% is identified as a known or antici-	



Version 1.0

Revision Date: 09/08/2015

pated carcinogen by NTP.

Emergency Overview

Appearance	liquid
Colour	Clear, Colorless
Odour	alcohol-like
Hazard Summary	No information available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical Name	Concentration (%)
67-63-0	Isopropyl alcohol	90 - 100

Molecular formula : (CH3)2 CHOH

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.



Version 1.0

Revision Date: 09/08/2015

If symptoms persist, call a physician.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use a water spray to cool fully closed containers.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.
Special protective equip- ment for firefighters	: Wear self-contained breathing apparatus for fire- fighting if necessary. Use personal protective equipment.

NFPA Flammable and Combustible Liquids Classification:

Flammable Liquid Class IB

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precau-	: Prevent product from entering drains.
tions	Prevent further leakage or spillage if safe to do so.



Version 1.0	Revision Date: 09/08/2015
	If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in con- tainer for disposal according to local / national regula- tions (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharg- es. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pres- sure. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe stor- age	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissi- ble concentra- tion	Basis
67-63-0	Isopropyl alcohol	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH



Version 1.0

Revision Date: 09/08/2015

TWA	400 ppm 980 mg/m3	NIOSH REL
ST	500 ppm 1,225 mg/m3	NIOSH REL
TWA	400 ppm 980 mg/m3	OSHA Z-1
TWA	400 ppm 980 mg/m3	OSHA PO
STEL	500 ppm 1,225 mg/m3	OSHA PO

Biological occupational exposure limits

Components	CAS-No.	Control parame- ters	Biological specimen		Permissi- ble con- centration	Basis
Isopropyl alcohol	67-63-0	Acetone	In urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required. In the case of vapour formation use a respirator with an approved filter.
Hand protection Remarks	:	The suitability for a specific workplace should be dis- cussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal pro- cessing problems.
Skin and body protection	:	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Version 1.0

Revision Date: 09/08/2015

Appearance	: liquid
Colour	: Clear, Colorless
Odour	: alcohol-like
Odour Threshold	: No data available
рН	: 7 @ 20 - 25 °C (68 - 77 °F)
Freezing Point (Melting point/freezing point)	: -9289 °C (-134128 °F)
Boiling Point (Boiling point/boiling range)	: 82 - 82.3 °C (180 - 180.1 °F)
Flash point	: 12 - 13 °C (54 - 55 °F)
Evaporation rate	: 2 (Butyl Acetate = 1)
Flammability (solid, gas)	
Burning rate	: No data available
Upper explosion limit	: 12 - 19 %(V)
Lower explosion limit	: 2.0 - 3.3 %(V)
Vapour pressure	: 33 - 45.4 mmHg @ 20 °C (68 °F)
Relative vapour density	: 2.1 @ 15 - 20 °C (59 - 68 °F) (Air = 1.0)
Relative density	: 0.7855 - 0.79 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: 0.79 g/cm3 @ 20 °C (68 °F)
Bulk density	: No data available
Solubility(ies) Water solubility	: completely miscible
Solubility in other sol- vents	: No data available
Partition coefficient: n- octanol/water	: log Pow: 0.05 @ 25 °C (77 °F)



Version 1.0

Revision Date: 09/08/2015

Auto-ignition temperature	: 363 - 425 °C
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: 2.4 - 2.43 mPa.s @ 20 °C (68 °F)
Viscosity, kinematic	: 2.6 mm2/s @ 25 °C (77 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: acetaldehyde Aldehydes aluminum Alkali metals Amines Chlorine Ethylene oxide halogens Iron isocyanates Strong acids Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hy- drocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

<u>Components:</u> 67-63-0:



Version 1.0

Revision Date: 09/08/2015

Acute oral toxicity	: LD50 (Rat): 5,045 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 16000 ppm
Acute dermal toxicity	: LD50 (Rabbit): 12,800 mg/kg

Skin corrosion/irritation

Product:

Result: Irritating to skin.

Components:

67-63-0: Species: Rabbit Result: Mild skin irritation

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

67-63-0: Species: Rabbit Result: Irritating to eyes.

Respiratory or skin sensitisation

Germ cell mutagenicity

Components:

67-63-0: Genotoxicity in vitro	: Test Type: Ames test Test species: Salmonella typhimurium Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Test species: Mouse Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- Assessment	: Did not show mutagenic effects in animal experi- ments.



Version 1.0

Revision Date: 09/08/2015

Carcinogenicity

Components:

67-63-0: Species: Rat NOAEL: 5,000 ppm

Method: OECD Test Guideline 451

Carcinogenicity - As- : Not classifiable as a human carcinogen. sessment

Reproductive toxicity

Components:

67-63-0: Reproductive toxicity -

Assessment

 Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

STOT - single exposure

Product: No data available

Components: 67-63-0:

Exposure routes:	Target Organs:	Assessment:	Remarks:
Inhalation	Central nervous system	May cause drowsi- ness or dizziness., The substance or mixture is classified as specific target organ toxicant, sin- gle exposure, cate- gory 3 with narcotic effects.	

STOT - repeated exposure

Product:No data available

Components:

67-63-0:No data available

Aspiration toxicity

Product:

No aspiration toxicity classification



Version 1.0

Revision Date: 09/08/2015

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

67-63-0:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic inverte-	: LC50 (Daphnia magna (Water flea)): > 100 mg/l
brates	Exposure time: 48 h

Toxicity to algae : Remarks: No data available

Persistence and degradability

Product:

Biodegradability : Remarks: Readily biodegradable

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Sub-
	stances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).



Version 1.0

Revision Date: 09/08/2015

Additional ecological in- : No data available formation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduc- tion, contact NEXEO's Environmental Services Group at 800-637-7922.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN1219, Isopropanol, 3, II, Flash Point:12 - 13 °C(54 - 55 °F)

IMDG (International Maritime Dangerous Goods): UN1219, ISOPROPANOL, 3, II

DOT (Department of Transportation): UN1219, Isopropanol, 3, II

SECTION 15. REGULATORY INFORMATION

OSHA Hazards	: Flammable liquid, Moderate skin irritant, Moderate eye irritant
WHMIS Classification	: B2: Flammable liquid D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.



Version 1.0

Revision Date: 09/08/2015

SARA 311/312 Hazards	: Fire Hazard Immediate (Acute) Health Hazard	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical compo- nents with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F). The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

67-63-0 Isop

Isopropyl alcohol

100 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean-Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know					
67-63-0	Isopropyl alcohol	90 - 100 %			
Pennsylvania Right To Know					
67-63-0	Isopropyl alcohol	90 - 100 %			
New Jersey Right To Know					
67-63-0	Isopropyl alcohol	90 - 100 %			
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.				

The components of this product are reported in the following inventories:

United States TSCA Inventory	:	y (positive listing) (On TSCA Invento- ry)
Canadian Domestic Substances List (DSL)	:	y (positive listing)



Version 1.0

Revision Date: 09/08/2015

		(All components of this product are on the Canadian DSL.)
Australia Inventory of Chemical Substances (AICS)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
New Zealand. Inventory of Chemical Substances	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Japan. ENCS - Existing and New Chemical Substances Inventory	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Korea. Korean Existing Chemicals Inventory (KECI)	:	y (positive listing) (On the inventory, or in compliance with the inventory)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	:	y (positive listing) (On the inventory, or in compliance with the inventory)
China. Inventory of Existing Chemical Substances in China (IECSC)	:	y (positive listing) (On the inventory, or in compliance with the inventory)



Version 1.0

Revision Date: 09/08/2015

SECTION 16. OTHER INFORMATION Further information



The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO[™] Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy SDS:

14000001030

Material number:

16056227, 16056226

Key or leg	Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of Gov- ernment Industrial Hygienists	LD50	Lethal Dose 50%		
AICS	Australia, Inventory of Chem- ical Substances	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substanc- es List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Sub-	NIOSH	National Institute for Occupational		
	stances List		Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health Admin-		
	Scenario Tool		istration		
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit		



Version 1.0

Revision Date: 09/08/2015

		1		
EINECS	European Inventory of Exist-	PICCS	Philipines Inventory of Commercial	
	ing Chemical Substances		Chemical Substances	
MAK	Germany Maximum Concen-	PRNT	Presumed Not Toxic	
	tration Values			
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reau-	
			thorization Act.	
IARC	International Agency for Re-	TLV	Threshold Limit Value	
	search on Cancer			
IECSC	Inventory of Existing Chemi-	TWA	Time Weighted Average	
	cal Substances in China			
ENCS	Japan, Inventory of Existing	TSCA	Toxic Substance Control Act	
	and New Chemical Substanc-			
	es			
KECI	Korea, Existing Chemical In-	UVCB	Unknown or Variable Compositon,	
	ventory		Complex Reaction Products, and	
			Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials In-	
			formation System	
LC50		Lethal Concentration 50%		